



C I R I O
Pure Essence

P Pure simplicity

The innovative but timeless design of the Cirio-series turns every switch or plug into a unique decorative tool. And this for all decors. Pure in its shape.

Strikingly contemporary but also subdued in its sheer simplicity.

R Refined elegance

A piece of noble refinement in each room and home.

A sample of technological elegance.

A unique detail in your interior design.

N Natural steel

The use of steel underlines its pure and essential nature.

Sturdy and durable, but refined and with an eye for detail.







Carefree elegance

For all types of interiors, contemporary or classic, one of the five Cirio metal finishes certainly has the right personality for you.





Satin-Nickel

52-0XX






Austere simplicity

Cirio benefits, as do all other Niko products, from Niko's complete guarantee and know-how.



Satin-Chrome

53-0XX





TTechnologically perfect

Light switches, thermostats, motion detectors, home automation controls, data communication, etc.

With Cirio all modern functions of a contemporary home can be found in an elegant and timeless design.




Shiny steel

54-0XX



S Subtlety for an elegant interior

The switch becomes an essential element of your interior design.





Brass

55-0XX






S Style into the most minute details

Cirio's timeless designs give an added value to your home.



Gold
56-0XX





cover plate	Centre distance 60mm Vertical			Centre distance 71mm Vertical			Centre distance 71mm Horizontal		
	8 x 8cm	8 x 14cm	8 x 20cm	8 x 15cm	8 x 22cm	8 x 29cm	15 x 8cm	22 x 8cm	29 x 8cm
Satin-Nickel	52-011	52-012	52-013	52-022	52-023	52-024	52-032	52-033	52-034
Satin-Chrome	53-011	53-012	53-013	53-022	53-023	53-024	53-032	53-033	53-034
Shiny steel	54-011	54-012	54-013	54-022	54-023	54-024	54-032	54-033	54-034
Brass	55-011	55-012	55-013	55-022	55-023	55-024	55-032	55-033	55-034
Gold	56-011	56-012	56-013	56-022	56-023	56-024	56-032	56-033	56-034

	Base for screwing	Base with claws	Central Plate
Switches - One way single pole	07-011-01	07-011	4X-110-05
Switches - One way double pole	07-012-01	07-012	4X-110-05
Switches - Two way	07-016-01	07-016	4X-110-05
Switches - Intermediate	07-017-01	07-017	4X-110-05
Switches - Two way double pole	07-022-01	07-022	4X-110-05
Switches - One way double pole	07-013-01	07-013	4X-110-05
Switches - Two circuits	07-015-01	07-015	4X-120-05
Switches 2 x two way	07-026-01	07-026	4X-120-05
Control switches - one way single pole	07-071-01	07-071	4X-140-05
Control switches - one way double pole	07-012-01	07-012	4X-140-05
Control switches - Two way	07-076-01	07-076	4X-140-05
Control switches - One way double pole	07-013-01	07-013	4X-140-05
Control switches - One way double pole	07-012-01	07-012	4X-130
Pull-cord switches - Two way	07-016-01	07-016	4X-130
Pull-cord switches - Intermediate	07-017-01	07-017	4X-130
Pull-cord switches - Single pole norm. open or closed	07-000-04	07-000-03	4X-230
Switch for blinds	07-059-01	07-059	4X-150-05
Push-button for blinds	07-059-11	07-059-10	4X-250-05
Push-button for electronic control for blinds	07-059-16	07-059-15	4X-255-05
Rotary switch and push-button type for blinds	07-059-21	07-059-20	4X-160
Rotary switch for fans, 3 speeds	07-059-21	07-059-20	4X-165
Timer switches 15'	07-048		4X-180
Timer switches 120'	07-049		4X-185
Analogue thermostat	07-089		4X-189-01
Push-button	07-000-01	07-000	4X-110-05
Push-button norm. open or closed	07-000-04	07-000-03	4X-110-05
Push button with lens (bell, lamp or key symbol)	07-000-01	07-000	4X-200-05
Push button with name plate	07-000-01	07-000	4X-299-05
Double push-buttons norm. open	07-050-01	07-050	4X-120-05
Double push-buttons norm. open or closed	07-050-04	07-050-03	4X-120-05
1 x two way switch + 1 x norm. open	07-050-17	07-050-16	4X-120-05
Hotel card switch			4X-171*
Socket outlet with pin earthing + safety shutters 21mm	07-321		4X-320
Socket outlet with pin earthing + safety shutters + 28,5mm	07-331		4X-330
Socket-outlet with pin earthing - overvoltage protection			4X-321-05*
Socket-outlet - Double pole, side earthing contacts 28,5mm, screw clamps	07-342	07-341	4X-345
Socket-outlet - Double pole, side earthing contacts 28,5mm, plug-in terminals	07-344	07-343	4X-345
Socket-outlet - Double pole, side earthing contacts, safety shutters, 28,5mm, screw clamps	07-342	07-341	4X-340
Socket-outlet - Double pole, side earthing contacts, safety shutters, 28,5mm, plug-in terminals	07-344	07-343	4X-344
Blanking plates	07-099-01	07-099	4X-000
Blanking plates - 3 cable outlets	07-007	07-006	4X-005
1 x loudspeaker socket outlet	07-098-01	07-098	4X-560
2 x loudspeaker socket outlet	07-097-01	07-097	4X-565
TV socket single-coax. (male)	07-091-21	07-091-20	4X-560
TV + FM socket single terminal (EDU)	07-095-01	07-095	4X-565
TV + FM socket several terminals (GEDU)	07-096-01	07-096	4X-565
TV + FM + Satellite socket several terminals (EDA)	07-095-51	07-095-50	4X-720
Flush mounting frame for flat central plate, without adapter	07-652	07-651	4X-652
1 x RJ11 UTP, for flat central plate with dust covers	07-652-11	07-651-11	4X-652
1 x RJ12 UTP, for flat central plate with dust covers	07-652-12	07-651-12	4X-652
2 x RJ11 UTP, for flat central plate with dust covers	07-652-21	07-651-21	4X-652
2 x RJ45 UTP cat. 5E, for flat central plate with dust covers	07-652-25	07-651-25	4X-652
2 x RJ45 FTP cat. 5E, for flat central plate with dust covers	07-652-26	07-651-26	4X-652
1 x RJ45 UTP cat. 5E, for flat central plate with dust covers	07-652-45	07-651-45	4X-652
1 x RJ45 FTP cat. 5E, for flat central plate with dust covers	07-652-46	07-651-46	4X-652
Flush motion detector 2300W 3-wire system		09-033	4X-835
Flush motion detector 500W		09-035	4X-835
Flush mounted push button dimmer 300W (resistive loads)	09-013-01	09-013	4X-810
Flush mounted push button dimmer 400W (resistive loads)	09-014-01	09-014	4X-810
Flush mounted push button dimmer 500W (resistive loads)	09-015-01	09-015	4X-810
Flush mounted push button dimmer 500VA (resistive/inductive loads)	09-016-01	09-016	4X-810
Flush mounted push button dimmer 320W (resistive/capacitive loads)	09-017-01	09-017	4X-810
Flush mounted electronic potentiometer 1/10V current sink systems	09-011-01	09-011	4X-810
Flush mounted push button dimmer 500VA (resistive/inductive loads)	09-005-01	09-005	4X-820
Flush mounted push button dimmer 500VA with memory (resistive/inductive loads)	09-025-01	09-025	4X-820
Speed regulator for motors 200VA	09-018-01	09-018	4X-810
Fuseholder - One way double pole		07-010	4X-590

Titanium: 4X = 44
Graphite: 4X = 45
Bronze: 4X = 46
Sterling: 4X = 47
Cobalt: 4X = 48
Sepia: 4X = 49

* = complete unit

Niko n.v.

- Industriepark West 40
- B-9100 Sint-Niklaas
- Belgium - Europe
- Tel.: +32 3 760 14 70
- Fax: +32 3 777 71 20
- e-mail: marketing@niko.be
- www.niko.be

